

missing  
TSD

NOTICE

FACILITY NAME: East Coast Chemical Disposal Inc.

EPA ID NUMBER: PAD 980551162

PRESENT C1105 CODE: 5

PRESENT C305 CODE: 5

CORRECT C1105 CODE: 5

CORRECT C305 CODE: blank

The current status of the above facility is:

- ☒ (X) Certified Closure *In process of closure*
- ☐ ( ) State confirms facility is not a TSD facility
- ☐ ( ) State confirms facility is less than 90 day storage
- ☐ ( ) Closure not necessary
- ☐ ( ) Facility converted to Generator status w/o full closure
- ☐ ( ) Facility is a Transporter

ADDITIONAL INFORMATION ON THE STATUS OF THIS FACILITY:

Jennifer Juri  
Signature of Reviewer

7/20/88  
Date

Department of Environmental Resources

1875 New Hope Street  
Norristown, PA 19401  
215 270-1920

*file P. Norristown*  
*East coast chemical disposal*

August 27, 1984

*file*  
Mr. Miles B. Potter  
Municipal Environmental Associates, Inc.  
P.O. Box 627  
Spring House, Pennsylvania 19477

Re: Closure Bond for Hazardous  
Waste Facility  
PA0980706152

Dear Mr. Potter:

This is to acknowledge receipt of your correspondence dated August 21, 1984 containing the work sheets for the subject bond. Based on the cost that you provided and the other factors listed below, the total liability of the bond for your facility will be \$560,920. The following cost breakdown is provided for your edification:

- A. Decontamination and disposal - supplied by application \$416,000.
- B. Administrative cost - \$40,920.
- C. Professional engineer certification - \$20,800.
- D. Contingency cost - \$83,200.

The bonds may be either a Surety Bond or a Collateral Bond and must be submitted to and approved by the Department prior to permit issuance. The various bond forms are attached for your convenience. I suggest that you give me a call prior to executing either bond form. I may be reached at (215) 270-1911. If I can be of any other service please feel free to contact me.

Very truly yours,

JAMES A. DOLAN  
Hazardous Waste Coordinator

cc: Div. Hazardous Waste Management  
U.S. EPA (Code 30331) ✓  
Re 30 1W 237.1

ATTACHMENT